



UNITED STATES PATENT AND TRADEMARK OFFICE

H.F.

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/650,051	08/26/2003	Stephan Limper	HK-769	7384
7590 07/17/2007 LERNER AND GREENBERG, P.A. POST OFFICE BOX 2480 HOLLYWOOD, FL 33022-2480			EXAMINER VALONE, THOMAS F	
			ART UNIT 2858	PAPER NUMBER
			MAIL DATE 07/17/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/650,051	Applicant(s) LIMPER ET AL.	
	Examiner Thomas F. Valone	Art Unit 2858	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 27 April 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-9 and 12-18 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-9, 12-16 and 18 is/are rejected.
- 7) ☒ Claim(s) 17 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|--|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input checked="" type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. <u>20070705</u> . |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____. | 6) <input type="checkbox"/> Other: _____. |

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1, 2, 5, 6 – 9, 12, 14 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Menard of record.

Regarding claims 1 and 12, Menard teaches an apparatus for detecting a material of a surface of a flat object on a stack of flat objects, the flat objects being printing plates (media plate M, Fig. 7A and col. 13, line 41), separated by interlayers (interleaf, col. 13, line 44) in the stack (cassette, col. 13, line 12) with a sensor apparatus (149, Fig. 7a) containing a sensor carrier (151, Fig. 7a), electronics (controller 21, col. 13, line 43), and electrodes (153, 155, Fig. 7a) resting on the surface of a flat object for conducting a measuring current through the surface of the flat object (col. 13, line 61), and the sensor electronics having an evaluation device for distinguishing between the underside of printing plates (col. 13, line 45) and the interlayers (controller 21, col. 13, line 43).

Menard does not explicitly use an evaluation device for distinguishing between an exposure layer of the printing plates, though the rear underside may actually be the exposure layer (col. 13, line 10-20). However, Menard includes a controller 21 (col. 14, line 25) which functions as an "evaluation device" and an inductive coil (col. 13, line 12)

Art Unit: 2858

for sensing magnetic material of the plates and a conductive paper sensor (col.13, line 42) which provides the apparatus necessary to perform the same function.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have used the controller as an evaluation device in the apparatus of Menard for the purpose of discriminating between the exposure layer of the printing plates and interlayers.

Regarding claims 2 and 14, Menard inherently measures resistance and conductivity with his conductive paper sensor (149, Fig. 7a) which measures current flow (col. 13, line 60-65) and its inverse, resistance (no current flow, col. 13, line 65) on the surface of a flat object.

Regarding claims 6 and 18, Menard teaches a surface detection of a flat object of metal and paper (col. 13, line 40-45).

Regarding claim 7, Menard teaches a loading device for printing plates and the sensor is integrated into the loading device (cassette, col. 13, line 12).

Regarding claim 8, the lifting and suction elements for gripping the printing plates with the lifting device integrated into the lifting device is taught by Menard (col. 14, line 38).

Regarding claims 5 and 9, Menard's conductive paper sensor detects the absence of an interleaf which may be on the underside of the metal media printing plate that would cause a short-circuit for the two-electrode sensors. Therefore, Menard inherently teaches a short-circuit detector as well.

Art Unit: 2858

3. Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over Menard in view of Pratt (5,899,313).

The teachings of Menard are reviewed above.

Menard does not teach varying a frequency of the measuring current using a controllable frequency generator; carrying out a plurality of measurements at different frequencies; and distinguishing a surface material by depending on the frequency of the voltage which is applied to the sensor electrodes.

Pratt, from an analogous field of endeavor, teaches varying a frequency of the measuring current (output of 741, Fig. 4) using a controllable frequency generator (Wein bridge oscillator, Fig. 4 and col. 4, line 11); carrying out a plurality of measurements at different frequencies (col. 3, line 14); and distinguishing a surface material by depending on the frequency of the voltage (voltage controlled oscillator, col. 4, line 25) which is applied to the sensor electrodes (frequency capture range, col. 3, line 1-10).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have used a controllable frequency generator as suggested by Pratt to carry out a plurality of measurements at different frequencies in Menard's surface material sensor, for the benefit of distinguishing surface materials depending on the frequency of the voltage which is applied to the sensor electrodes.

4. Claims 3 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Menard, in view of Ganton of record.

Regarding claim 13, the teachings of Menard are reviewed above.

Menard does not teach measuring current with a frequency generator by applying high frequency voltage to the sensor electrodes. However, it is also well known in electrical circuit design that generating a measuring current is inherent and required to a measurement of voltage, especially to charge up capacitors and also, every current measurement necessitates a voltage measurement, as implied by claim 13.

Ganton, from the same field of endeavor, teaches a measuring current with a frequency generator by applying high frequency voltage to the sensor electrodes (1, Fig. 1). Ganton also uses an operational amplifier (7, Fig. 1) which is known in the art to only operate by measuring input current, no matter how small.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have used Ganton's high frequency generator with the apparatus of Menard to generate a measuring current by applying high voltage to sensor electrodes for detecting the material of a surface of a flat object since the high frequency impedance between surfaces varies widely, making detection easier.

Regarding claim 3, the teachings of Menard are reviewed above.

Menard does not explicitly teach sensor electrodes containing a frequency generator connected to them, a rectifier connected to the sensor electrodes, a measurement amplifier connected to the rectifier, comparators connected to the amplifier and an evaluation unit connected to the comparators.

Ganton teaches a frequency generator (1, Fig. 1) connected to sensor electrodes, a rectifier (8, Fig. 1), a measurement amplifier connected to the rectifier (11, Fig. 1) which is also a comparator. The evaluation unit is implicitly part of the sensor

Art Unit: 2858

electronics since the comparator (11, Fig. 1) must output to some type of evaluation unit, as is well known in the art.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have used Ganton's frequency generator connected to sensor electrodes of Menard with rectifier and comparator amplifier for the purpose of evaluating the surface material of printing plates which may contain paper interlayers that need to be detected and removed efficiently.

5. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Menard Menard and further in view of Ganton and Nakamura of record.

The teachings of Menard are reviewed above.

Menard does not explicitly teach sensor electrodes containing a frequency generator connected to them, a rectifier connected to the sensor electrodes, a measurement amplifier connected to the rectifier, an A-D connected to the amplifier and an evaluation unit connected to the A-D converter.

Ganton teaches a frequency generator (1, Fig. 1) connected to sensor electrodes, a rectifier (8, Fig. 1), a measurement amplifier connected to the rectifier (11, Fig. 1) which is also a comparator. The evaluation unit is implicitly part of the sensor electronics since the comparator (11, Fig. 1) must output to some type of evaluation unit, as is well known in the art.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have used Ganton's frequency generator connected to sensor electrodes of Menard with rectifier and comparator amplifier for the purpose of

Art Unit: 2858

evaluating the surface material of printing plates which may contain paper interlayers that need to be detected and removed efficiently.

Menard as modified by Ganton (M-G) does not teach an analog to digital converter connected to the amplifier and with the evaluation unit connected to the analog to digital converter (ADC).

Nakamura, from the same field of endeavor, teaches an ADC (74, Fig. 37 and col. 9, line 58) and a comparator evaluation unit (202, Fig. 37) connected to the ADC.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have used Nakamura's ADC and evaluation unit with the sensor electronics of M-G for the purpose of digitizing the signal for better and more precise analysis and storage.

6. Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Menard and further in view of Nakamura of record.

The teachings of Menard are reviewed above, which imply the conversion of any measuring current into a measuring voltage.

Menard does not explicitly convert the measuring current into a measuring voltage and recognize the material forming the surface from a voltage range in which the measuring voltage lies.

Nakamura teaches the conversion of a measuring current into a measuring voltage (col. 9, line 10 –18) and recognizes the material forming the surface from a voltage range in which the measuring voltage lies (basis of reference voltage, col. 9, line 18-22).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have used Nakamura's voltage conversion of the measuring current with the sensor electronics of Menard for the express purpose of recognizing the material forming the surface from a voltage range in which the measuring voltage lies, with the benefit of an efficient use of the comparator.

Allowable Subject Matter

7. Claim 17 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

The following is a statement of reasons for the indication of allowable subject matter: A method for detecting a material of a surface of a flat object on a stack of flat objects being printing plates, which are separated by interlayers using sensor electrodes resting on the surface of the flat object and connected to sensor electronics for conducting a measuring current through the surface of the flat object; distinguishing between an exposure layer of the printing plates, the interlayers, and a rear of the printing plates, as well as evaluating measuring voltages determined from the plurality of measurements to detect the material of the surface, depending on the frequency of the voltage that is applied to the sensor electrodes, before providing the printing plates for further processing, has not been found in the prior art.

Response to Arguments

8. Applicant's arguments, see Remarks, filed 4/27/07, with respect to the rejection(s) of claim(s) 1, 2, 5, 6 – 9, 12, 14 and 18 under Menard in view of Higashi

Art Unit: 2858

have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Menard.

The rest of the arguments seem to center upon the argument that the Higashi reference is not available as prior art, without offering any new arguments for patentability or overcoming previous rejections with arguments related to the other references.

Conclusion

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thomas F. Valone whose telephone number is 571-272-8896. The examiner can normally be reached on 10-6:30.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Andrew Hirshfeld can be reached on 571-272-2168. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2858

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Thomas Valone, PhD, PE
Patent Examiner
Art Unit 2858
571-272-8896



WALTER BENSON, PHD, P.E.
PRIMARY EXAMINER